

SKT Industries SDN BHD stands as a reliable symbol, committed to surpassing industry standards in quality assurance for superior and lasting performance. With an unwavering dedication to exceptional value, we prioritize reasonable pricing without compromising on quality, ensuring prompt service that exceeds customer expectations.

At SKT Industries, open communication is paramount. Actively seeking feedback, we customize solutions to our clients' unique needs, going beyond mere supply to establish ourselves as a dependable partner deeply committed to operational excellence.

CRAFTING BRILLIANCE, FORGING WITH ALUMINIUM

SKT INDUSTRIES SDN BHD
201901030421 (1339751-V)

No 12, Lorong Asas Jaya 11,
Kawasan Industri Ringan Asas Jaya,
14000 Bukit Mertajam, Penang.


+6012 - 938 1136
Enquiry@sktindustries.com.my
sktindustries.com.my




SKT INDUSTRIES
SDN BHD 201901030421 (1339751-V)
CRAFTING BRILLIANCE,
FORGING WITH ALUMINIUM

INFINITE STRENGTH, INFINITE APPLICATIONS

Your Premier Destination For Quality Aluminium Trading In Asia





SKT INDUSTRIES
SDN BHD 201901030421 (1339751-V)
CRAFTING BRILLIANCE,
FORGING WITH ALUMINUM

Why Choose Our Aluminium Products

At SKT Industries, Excellence is Ingrained In Every Aluminium Product

SKT Industries' brand story is an odyssey, centered on Sustainable Growth, Knowledge Integration, and Top Quality. Each partnership, project, and achievement breathes life into our narrative, echoing a vision where success aligns with responsibility, knowledge, and excellence.



Competitive Pricing Commitment

At SKT Industries SDN BHD, we assure competitive prices. Collaborating closely with suppliers, we secure the best rates for you.



Reliable Solutions

As your dependable partner, we sincerely aim to address your material concerns. Trust us as your steadfast solution provider to overcome these hurdles.



Unmatched Expertise

At SKT Industries SDN BHD. Renowned for our extensive expertise in all aspects of aluminium materials, we offer unparalleled guidance and solutions.

WELCOME
TO SKT INDUSTRIES SDN BHD



SKT INDUSTRIES
SDN BHD 201901030421 (1339751-V)
CRAFTING BRILLIANCE,
FORGING WITH ALUMINUM



SUSTAINABLE GROWTH

Extending beyond financial success to embrace environmental and social responsibility.



KNOWLEDGE INTEGRATION

Our philosophy, driven by continuous learning and seamless knowledge integration, positions us as industry leaders in informed decision-making.



TOP QUALITY

Our commitment defines every aspect of our business, pledging to consistently exceed expectations through unwavering excellence.

SKT INDUSTRIES SDN BHD

FORGING A SUSTAINABLE FUTURE IN ALUMINIUM EXCELLENCE

Established in 2019, SKT Industries has rapidly grown into a prominent player in the aluminium industry. With roots dating back to 2010-2011, our foundation is rooted in a skilled team with expertise in aluminium and engineering. Over the years, we have strategically partnered with sourcing allies from across Asia, including China, Thailand, and beyond, enhancing our capabilities and expanding our reach.

As we stand on the threshold of the future, SKT Industries envisions a path towards sustainability. Our forward-looking plans include venturing into recycling and manufacturing compatible aluminium products, ensuring that our operations align with eco-friendly practices. Committed to innovation and excellence, SKT Industries is poised to shape the aluminium landscape for years to come.

LIMITLESS POTENTIAL

SKT Industries' Aluminium Ascent

QUALITY
ASSURANCE

DYNAMIC
TEAMWORK
SOLUTION

EFFICIENT
PRODUCTION

RELIABLE &
COMPLY TO
CUSTOMER
EXPECTATION

SHORT
LEAD TIME



SKT Industries SDN BHD is dedicated to exceeding industry standards for superior performance. With an unwavering commitment to exceptional value, we offer reasonable pricing without compromising quality. Through open communication, we tailor solutions to our clients' needs, going beyond supply to be a dependable partner committed to operational excellence.

OUR VISION

TOP IN ALUMINIUM EXCELLENCE

Embracing the ambition to be a premier force, SKT Industries envisions securing a spot among the top five aluminum traders in Malaysia. Our vision is a commitment to relentless pursuit, where excellence in quality and service propels us towards new heights in the aluminum trading landscape.

OUR MISSION

MAXIMIZING BENEFIT, MINIMIZING LIMITS

SKT Industries is on a mission to maximize customer benefits and foster mutual growth. With unwavering dedication to minimizing challenges, we aim to redefine industry standards through integrity, innovation, and a customer-centric approach. Our mission is not just about trading; it's about elevating partnerships and creating shared success.



SKT INDUSTRIES
SDN BHD 201901030421 (1339751-V)
CRAFTING BRILLIANCE,
FORGING WITH ALUMINUM



YOUR VISION PERFECTED THROUGH OUR EXPERTISE

Where each step is guided by the principles of
Sustainability, Knowledge Integration, and Top Quality.



YOUR PROFESSIONAL CHOICE IN TRADING EXCELLENCE

At SKT Industries, our core business revolves around trading and dealing in materials crucial for construction and industry. We take pride in offering a diverse range of products, aiming to be a one-stop solution for our clients, from various building materials to specialized alloys.




BUILDING RELATIONSHIPS

More than just a trading company, SKT Industries is dedicated to building lasting relationships. Our commitment extends beyond transactions, prioritizing reliability, efficiency, and the highest standards of quality assurance in all our operations.



DEDICATION TO EXCELLENCE

With a team of professionals committed to excellence, we continuously strive to meet and exceed customer expectations. Our comprehensive approach involves dynamic teamwork solutions and efficient production processes, ensuring a short lead time for our clients, providing the reliability they expect.





SKT INDUSTRIES
SDN BHD 201901030421 (1339751-V)
CRAFTING BRILLIANCE,
FORGING WITH ALUMINUM

Explore Tailored Aluminium Solutions at SKT Industries. Our meticulously categorized materials simplify your selection process, delivering quality, variety, and reliability.

Our specialization lies in consistently meeting customer requests. We provide optimal prices and solutions tailored to your needs. Elevate your projects with SKT Industries.

DIVERSE ALUMINIUM SOLUTIONS



Electronics & Electrical Company



Automotive Industry



Welding Consumables



Industrial Company



Aerospace & Medical Company



SKT INDUSTRIES
SDN BHD 201901030421 (1339751-V)
CRAFTING BRILLIANCE,
FORGING WITH ALUMINUM

DISCOVER VERSATILE ALUMINIUM PROFILES

At SKT Industries, where we offer various types to cater to a wide range of applications

- Diverse Aluminium Products
- Special Size Customization
- Sand Casting Mold
- Special Project Works



Flat Bar




Round Bar




Angle Bar



Round Tube



Aluminium
Sheet



Aluminium
Plat



FLAT BAR

Our flat bars are precision-engineered to provide stability and a sleek appearance. Ideal for structural and architectural applications, these bars offer a smooth surface and reliable performance.



SKT INDUSTRIES
SDN BHD 201901030421 (1339751-V)



FLAT BAR | 4-9.53 mm

Dimension W X H (MM)	Series	Weight Per Pcs (KG)
➤ 4.00 mm		
4.00 mm x 25.4 mm	6061 - T6	0.83 kg
4.00 mm x 186.00 mm	6061 - T6	6.09 kg
➤ 5.65 mm		
5.00 mm x 65.00 mm	6061 - T6	2.66 kg
➤ 6.35 mm		
6.35 mm x 9.53 mm	6061 - T6	0.50 kg
6.35 mm x 12.70 mm	6061 - T6	0.66 kg
6.35 mm x 15.90 mm	6061 - T6	0.83 kg
6.35 mm x 19.05 mm	6061 - T6	0.99 kg
6.35 mm x 25.40 mm	6061 - T6	0.70 kg
6.35 mm x 31.75 mm	6061 - T6	1.65 kg
6.35 mm x 38.10 mm	6061 - T6	1.98 kg
6.35 mm x 45.10 mm	6061 - T6	2.34 kg

Dimension W X H (MM)	Series	Weight Per Pcs (KG)
6.35 mm x 50.80 mm	6061 - T6	2.64 kg
6.35 mm x 76.20 mm	6061 - T6	3.96 kg
6.35 mm x 88.90 mm	6061 - T6	4.62 kg
6.35 mm x 101.60 mm	6061 - T6	5.28 kg
➤ 8.00 mm		
8.00 mm x 82.00 mm	6061 - T6	5.37 kg
➤ 9.53 mm		
9.53 mm x 12.70 mm	6061 - T6	0.74 kg
9.53 mm x 19.05 mm	6061 - T6	1.49 kg
9.53 mm x 25.40 mm	6061 - T6	1.98 kg
9.53 mm x 31.75 mm	6061 - T6	2.48 kg
9.53 mm x 38.10 mm	6061 - T6	2.97 kg
9.53 mm x 44.45 mm	6061 - T6	3.96 kg
9.53 mm x 50.80 mm	6061 - T6	4.46 kg
9.53 mm x 57.15 mm	6061 - T6	4.46 kg
9.53 mm x 63.50 mm	6061 - T6	4.95 kg
9.53 mm x 76.20 mm	6061 - T6	5.94 kg
9.53 mm x 88.90 mm	6061 - T6	6.93 kg
9.53 mm x 101.60 mm	6061 - T6	7.92 kg
9.53 mm x 127.00 mm	6061 - T6	9.91 kg

Dimension W X H (MM)	Series	Weight Per Pcs (KG)
➤ 10.00 mm		
10.00 mm x 150.00 mm	6061 - T6	12.28 kg
➤ 12.00 mm		
12.00 mm x 68.00 mm	6061 - T6	6.68 kg
➤ 12.70 mm		
12.70 mm x 19.05 mm	6061 - T6	1.98 kg
12.70 mm x 25.40 mm	6061 - T6	2.64 kg
12.70 mm x 31.75 mm	6061 - T6	3.30 kg
12.70 mm x 38.10 mm	6061 - T6	3.96 kg
12.70 mm x 44.45 mm	6061 - T6	4.62 kg
12.70 mm x 50.80 mm	6061 - T6	5.28 kg
12.70 mm x 57.15 mm	6061 - T6	5.94 kg
12.70 mm x 63.50 mm	6061 - T6	6.60 kg
12.70 mm x 76.20 mm	6061 - T6	7.92 kg
12.70 mm x 82.55 mm	6061 - T6	8.58 kg
12.70 mm x 89.00 mm	6061 - T6	9.25 kg
12.70 mm x 101.60 mm	6061 - T6	10.56 kg
12.70 mm x 115.71 mm	6061 - T6	12.03 kg
12.70 mm x 152.90 mm	6061 - T6	15.89 kg

Dimension W X H (MM)	Series	Weight Per Pcs (KG)
➤ 15.90 mm		
15.90 mm x 19.05 mm	6061 - T6	2.48 kg
15.90 mm x 25.40 mm	6061 - T6	3.31 kg
15.90 mm x 31.75 mm	6061 - T6	4.13 kg
15.90 mm x 38.10 mm	6061 - T6	4.96 kg
15.90 mm x 44.45 mm	6061 - T6	5.78 kg
15.90 mm x 50.80 mm	6061 - T6	6.61 kg
15.90 mm x 57.15 mm	6061 - T6	7.44 kg
15.90 mm x 63.50 mm	6061 - T6	8.26 kg
15.90 mm x 76.20 mm	6061 - T6	9.92 kg
15.90 mm x 89.00 mm	6061 - T6	11.58 kg
15.90 mm x 101.60 mm	6061 - T6	13.22 kg
15.90 mm x 127.00 mm	6061 - T6	16.53 kg
15.90 mm x 152.40 mm	6061 - T6	19.83 kg



FLAT BAR



SKT INDUSTRIES
SDN BHD 201901030421 (1339751-V)



FLAT BAR | 19.05-31.75 mm

Dimension W X H (MM)	Series	Weight Per Pcs (KG)
➤ 19.05 mm		
19.05 mm x 15.90 mm	6061 - T6	2.97 kg
19.05 mm x 31.75 mm	6061 - T6	3.96 kg
19.05 mm x 38.10 mm	6061 - T6	4.95 kg
19.05 mm x 44.45 mm	6061 - T6	5.94 kg
19.05 mm x 50.80 mm	6061 - T6	6.93 kg
19.05 mm x 57.15 mm	6061 - T6	7.92 kg
19.05 mm x 63.50 mm	6061 - T6	8.91 kg
19.05 mm x 76.20 mm	6061 - T6	9.90 kg
19.05 mm x 76.20 mm	6061 - T6	11.88 kg
19.05 mm x 101.60 mm	6061 - T6	15.84 kg
➤ 22.23 mm		
22.23 mm x 38.10 mm	6061 - T6	6.93 kg
22.23 mm x 50.80 mm	6061 - T6	6.93 kg
22.23 mm x 63.50 mm	6061 - T6	9.24 kg
22.23 mm x 101.60 mm	6061 - T6	11.55 kg
➤ 25.40 mm		
25.40 mm x 28.58 mm	6061 - T6	5.94 kg
15.90 mm x 31.75 mm	6061 - T6	6.60 kg
15.90 mm x 38.10 mm	6061 - T6	7.92 kg
15.90 mm x 41.28 mm	6061 - T6	8.58 kg

Dimension W X H (MM)	Series	Weight Per Pcs (KG)
15.90 mm x 45.00 mm	6061 - T6	9.35 kg
15.90 mm x 50.80 mm	6061 - T6	10.56 kg
15.90 mm x 57.15 mm	6061 - T6	11.88 kg
15.90 mm x 63.50 mm	6061 - T6	13.20 kg
15.90 mm x 76.20 mm	6061 - T6	15.84 kg
15.90 mm x 82.55 mm	6061 - T6	17.16 kg
15.90 mm x 88.90 mm	6061 - T6	18.48 kg
15.90 mm x 101.60 mm	6061 - T6	21.12 kg
15.90 mm x 127.00 mm	6061 - T6	26.40 kg
➤ 28.58 mm		
28.58 mm x 38.10 mm	6061 - T6	8.91 kg
28.58 mm x 89.00 mm	6061 - T6	20.82 kg
28.58 mm x 127.00 mm	6061 - T6	29.71 kg
➤ 31.75 mm		
31.75 mm x 57.15 mm	6061 - T6	7.92 kg
31.75 mm x 63.50 mm	6061 - T6	8.91 kg
31.75 mm x 76.20 mm	6061 - T6	9.90 kg
31.75 mm x 76.20 mm	6061 - T6	11.88 kg
31.75 mm x 101.60 mm	6061 - T6	15.84 kg



Dimension W X H (MM)	Series	Weight Per Pcs (KG)
35.20 mm		
35.20 mm x 50.80 mm	6061 - T6	14.64 kg
35.20 mm x 76.20 mm	6061 - T6	21.95 kg
38.10 mm		
38.10 mm x 44.45 mm	6061 - T6	11.88 kg
38.10 mm x 50.80 mm	6061 - T6	13.86 kg
38.10 mm x 57.15 mm	6061 - T6	15.84 kg
38.10 mm x 69.85 mm	6061 - T6	17.82 kg
38.10 mm x 89.00 mm	6061 - T6	21.78 kg
38.10 mm x 101.60 mm	6061 - T6	27.75 kg
38.10 mm x 38.10 mm	6061 - T6	31.68 kg
41.28 mm		
41.28 mm x 50.80 mm	6061 - T6	17.16 kg
41.28 mm x 63.50 mm	6061 - T6	21.45 kg
44.45 mm		
44.45 mm x 50.80 mm	6061 - T6	18.48 kg
44.45 mm x 63.50 mm	6061 - T6	23.10 kg
44.45 mm x 76.20 mm	6061 - T6	27.72 kg
44.45 mm x 101.60 mm	6061 - T6	36.96 kg
44.45 mm x 60.00 mm	6061 - T6	21.83 kg

Dimension W X H (MM)	Series	Weight Per Pcs (KG)
> 50.80 mm		
50.80 mm x 57.15 mm	6061 - T6	23.76 kg
50.80 mm x 63.50 mm	6061 - T6	26.40 kg
50.80 mm x 76.20 mm	6061 - T6	31.68 kg



Our precision-crafted square bars, offering strength in symmetry. These bars offer versatility for construction, machining, and beyond. Explore our range for reliable and sturdy solutions tailored to your specific needs.



Dimension W X H (MM)	Series	Weight Per Pcs (KG)
> 9.53 mm 9.53 mm x 9.53 mm	6061 - T6	0.74 kg
> 12.70 mm 12.70 mm x 12.70 mm	6061 - T6	1.32 kg
> 15.90 mm 15.90 mm x 15.90 mm	6061 - T6	2.07 kg
> 19.05 mm 19.05 mm x 19.05 mm	6061 - T6	2.97 kg
> 22.23 mm 22.23 mm x 22.23 mm	6061 - T6	4.04 kg
> 25.40 mm 25.40 mm x 25.40 mm	6061 - T6	5.28 kg
> 31.75 mm 31.75 mm x 31.75 mm	6061 - T6	8.25 kg

[illegible]



ROUND BAR

Our round bars are suitable for applications requiring rotational movement or a decorative finish. With precise dimensions and a polished surface, these bars elevate the aesthetics of your projects.



Diameter (Ø)	Series	Weight Per Pcs (KG)
➤ Ø 6.35 mm		
Ø 6.35 mm	6061 - T6	0.26 kg
➤ Ø 8.00 mm		
Ø 8 mm	6061 - T6	0.41 kg
➤ Ø 9.53 mm		
Ø 9.53 mm	6061 - T6	0.58 kg
➤ Ø 10.00 mm		
Ø 10.00 mm	6061 - T6	0.64 kg
➤ Ø 12.70 mm		
Ø 12.70 mm	6061 - T6	1.04 kg
➤ Ø 15.88 mm		
Ø 15.88 mm	6061 - T6	1.62 kg
➤ Ø 17.00 mm		
Ø 17.00 mm	6061 - T6	1.86 kg



SKT INDUSTRIES
SDN BHD 201901030421 (1339751-V)

Dimension W X H (MM)	Series	Weight Per Pcs (KG)
➤ Ø 19.05 mm		
Ø 19.05 mm	6061 - T6	2.33 kg
➤ Ø 35.00 mm		
Ø 35.00 mm	6061 - T6	7.88 kg
➤ Ø 38.10 mm		
Ø 38.10 mm	6061 - T6	12.71 kg
➤ Ø 50.80 mm		
Ø 50.80 mm	6061 - T6	16.60 kg
➤ Ø 57.15 mm		
Ø 57.15 mm	6061 - T6	21.01 kg
➤ Ø 63.50 mm		
Ø 63.50 mm	6061 - T6	25.94 kg
➤ Ø 67.00 mm		
Ø 67.00 mm	6061 - T6	28.87 kg
➤ Ø 76.20 mm		
Ø 76.20 mm	6061 - T6	37.35 kg
➤ Ø 82.55 mm		
Ø 82.55 mm	6061 - T6	43.83 kg
➤ Ø 95.00 mm		
Ø 95.00 mm	6061 - T6	58.05 kg



ROUND BAR | 6.35-95.00 mm



Our angle bars find applications in various industries. The L-shaped profile provides stability, making them essential for framing, bracing, and other structural components.



Our mill finish sheets are meticulously crafted to offer robustness and a refined finish, perfect for a myriad of industrial and creative applications, ensuring durability and aesthetic appeal.

[illegible]

Thickness (MM)	Series	Dimension W X L (MM)
➤ 63.50 mm		
6.35 mm	6061 - T6	63.5 mm x 6.00 mm
6.35 mm	6061 - T6	76.2 mm x 6.00 mm
6.35 mm	6061 - T6	101.60 mm x 6.00 mm
➤ 9.52 mm		
9.52mm	6061 - T6	76.20 mm x 6.00 mm
9.52mm	6061 - T6	101.60 mm x 6.00 mm
➤ 12.00 mm		
12.00 mm	6061 - T6	50.80 mm x 6.00 mm
12.00 mm	6061 - T6	101.06 mm x 6.00 mm
➤ 12.70 mm		
12.70 mm	6061 - T6	63.50 mm x 6.00 mm
12.70 mm	6061 - T6	76.20 mm x 6.00 mm
12.70 mm	6061 - T6	127.00 mm x 6.00 mm
12.70 mm	6061 - T6	152.40 mm x 6.00 mm
12.70 mm	6061 - T6	203.20 mm x 6.00 mm



ANGLE BAR | 2.00-6.00 mm



MILL FINISH | 63.50-12.70 mm